

MSDS DEFICIENCIES CHECKLIST

The following **MSDS** has been reviewed for obvious deficiencies as required by Title 8, sec.5194(g) of the California Administrative Code. The following deficiencies exist: *(Note: for state of California, check your states code numbers, also this checklist is a sample only verify contents with your state's Administrative Code)*

PRODUCT INFORMATION

Manufacturer/MSDS Preparer	
Address	
Product/Trade name	

MSDS DEFICIENCIES:

	Product identity/trade name matches the label identity.
	Chemical and common names of each hazardous ingredient.
	CAS number for each hazardous ingredient.
	Physical data (flash point, vapor pressure, etc).
	Potential fire hazard.
	Potential explosion hazard.
	Potential reactivity.
	Health hazards (in layman terms).
	Potential routes of entry (absorption, ingestion and/or inhalation).
	Signs and symptoms of exposure.
	Medical conditions aggravated by exposures.
	OSHA PEL'S/ACGIH TLV'S
	OSHA, NTP, and IARC carcinogen status.
	Hygienic practices.
	Safe handling practices.
	Protective measures for repair and maintenance of equipment.
	Spill cleanup procedures.
	Control measures (work practices, personal protective equipment).
	Emergency and first aid procedures.
	Date of MSDS preparation or revision.
	Name, address and emergency phone numbers of MSDS preparer.

INACCURATE INFORMATION NOTED ON MSDS:

--	--

COMPANY USE:

Name of Company	
Address	
Reviewer of MSDS	Date:
Location	

COMPANY NAME